

C-Line: Under Cabinet Fixture

Economical Models



Detail Specifications:

- Finishes: White
- IP Rating: Damp Location
- Beam Angle: 180°
- Chip: SMD 2835, R9 >50, CRI >90
- Operating Temperature: -4° - 114° F
- Lens: Frosted Acrylic, non-yellowing
- Housing: Steel
- 5CCT: 27/30/35/40/50K
- Average life (L70) of 25,000 hours

Application:

- Under Cabinet Lighting
- Residential & Multifamily
- Task Lighting
- Education, Healthcare, Retail, Hospitality

Product Information:

- Even light distribution: no hotspots on the lens
- Instant-on to full brightness
- On/Off toggle switch
- Hardwire only
- Slim profile: only 1" thick

Driver Options:

- 120V Triac dimmable down to 10%
- THD: <20% (+/-5% tolerance), PF >0.9, 50/60Hz
- AC Driverless technology
- Flicker Free

Mounting & Installation:

- 3/8" flexible conduit or 3-wire romex
- Mounting knockouts behind diffuser cover

Certifications:

- ETL Listed for USA and CA
- CA Title 24 JA8-2022 CEC Listed
- 3 Year Limited Warranty
- FCC CFR 47, GCC Part 15, Subpart B:2017
- IC Rated and ASTM-E283 Air-Tight

Round Series

LED-EUC-11I-6W-5CCT-WH

450lm

LED-EUC-18I-8W-5CCT-WH

600lm

LED-EUC-24I-12W-5CCT-WH

900lm

LED-EUC-36I-15W-5CCT-WH

1,125lm


LED-EUC-42I-18W-5CCT-WH

1,350lm

C-Line: Under Cabinet Fixture


Economical Models

FEATURES




DIMENSIONS


EUC-11I




EUC-18I




EUC-24I









EUC-36I



EUC-42I



KNOCKOUT DIMENSIONS



C-Line: Under Cabinet Fixture

Economical Models

Model	Voltage	Watts	Lumens	Color
LED-EUC-11I-6W-5CCT-WH	120V	6w	450	50/40/35/30/27K
LED-EUC-18I-8W-5CCT-WH	120V	8w	600	50/40/35/30/27K
LED-EUC-24I-12W-5CCT-WH	120V	12w	900	50/40/35/30/27K
LED-EUC-36I-15W-5CCT-WH	120V	15w	1,125	50/40/35/30/27K
LED-EUC-42I-18W-5CCT-WH	120V	18w	1,350	50/40/35/30/27K

DIMMER COMPATIBILITY

Brand	Model	
Lutron	MACL-153M	SELV-300P
	LGCL-153PLH	DVELV-300P
	TAL06P-C1-K-L	DV-600-PR-LA
	TGCL-153PH	DV-600PR-BL
	AYCL-153P	DV-600PR-WH
	DVCL-153P	S-2-LH
	DVSCCL-153P	CT-600PR-WH
	SCL-153P	DVW-603-PGH-WH
	MSCL-OP-153M	CT-600PR-IV
	CTCL-153P	S-600-PR-LA
TTCL-100	MA-T51H-WH	
Cooper	ASPIRE-9573	DEVINE-DLC03P
	SKYE-SLC03P	SAL06P
	AAL06-C1-K-L	DAL06P-C1-K-L
Leviton	6631	6633

**The listed dimmers have been tested and proven to work. Some discrepancies may exist due to different electrical work. These dimmers are recommended, but is not limited to other dimmers from working.*