

# Low Voltage: Path Lights (3 Column)

## Aluminum Housing— Integrated LED 5-CCT



BZ



BL



Spike Included

### Detail Specifications:

- Finish: Bronze or Black
- Housing: Aluminum
- LED Integrated
- Power: 3W
- Lumens: 150
- 5-CCT: 27/30/35/40/50K
- Beam Angle: 150°
- IP Rating: Wet Location IP65
- Lens: Frosted PC

### Applications:

- Landscape
- Walkways & Pathways
- Hospitality, Multi-Family
- Outdoor Corridors
- General Outdoor Lighting
- Residential, Commercial

### Product Information:

- Water tight silicone ring for waterproofing
- Stem Height: 15"
- Shade Options: various options available
- Stem and shade sold separately
- Packaging: Retail color box
- Master Box Quantity: 24pcs.

### Driver Options:

- Compatible with Low Voltage Drivers
  - 12-24V AC/DC
- Max load should not exceed more than 80% of the transformer wattage

### Mounting & Installations:

- Wire: 3 ft (72") SPT-1W 20 gauge wire lead
- Spike: 6.24" Non-metallic spike included
  - Optional brass spike available
- Solid aluminum pipe with 1/2" knuckle stem

### Warranty:

- 3 Year Limited Warranty

### Models

**LED-PL-3C-15-3W-5CCT-ALM-BZ-LV**

Bronze Finish


**LED-PL-3C-15-3W-5CCT-ALM-BL-LV**

Black Finish

Optional Accessories on Page 3

Specs and model numbers are subject to change with or without notice. Customization of product is available.

## FEATURES



Beam Down LED



5-CCT  
Color Selectable

Water Tight  
Silicone Ring

150° Beam  
Angle

Aluminum  
Housing





BZ 3' SPT-1W  
20 Gauge



Spike  
Included

## DIMENSIONS



## ACCESSORIES



STK-HD-1/2-BR



SM-1/2-BR-ORB



SM-1/2-BR-MBL



SM-1/2-ALM-BZ



SM-1/2-ALM-BL



SM3-1/2-BR-ORB



SM3-1/2-BR-MBL



GM-1/2-BR-SS



GM-1/2-ALM-BZ



GM-1/2-ALM-BL

Model	Voltage	Watts	Lumens	Color
LED-PL-3C-15-5W-5CCT-ALM-BZ-LV	12-24V AC/DC	5w	300	27/30/35/40/50k
LED-PL-3C-15-5W-5CCT-ALM-BL-LV	12-24V AC/DC	5w	300	27/30/35/40/50k

## STAKE

Model	Voltage
STK-HD-1/2-BR	Brass Stake 10" Heavy Duty

## SURFACE MOUNT

Model	Description
SM-1/2-BR-ORB	Brass Stake 10" Heavy Duty (Oil Rubber Bronze)
SM-1/2-BR-MBL	Brass 1/2" Surface Mount (Matte Black)
SM-1/2-ALM-BZ	Aluminum 1/2" Surface Mount (Bronze)
SM-1/2-ALM-BL	Aluminum 1/2" Surface Mount (Black)

## TREE MOUNT

Model	Description
SM3-1/2-BR-ORB	Brass Stake 10" Heavy Duty (Oil Rubber Bronze)
SM3-1/2-BR-MBL	Brass 1/2" Surface Mount (Matte Black)

## STAKE COVER

Model	Description
STKC-1/2-BR-ORB	Brass Stake Cover(Oil Rubbed Bronze)
STKC-1/2-BR-MBL	Brass Stake Cover(Matte Black)

## GUTTER MOUNT

Model	Description
GM-1/2-ALM-BZ	Aluminum Gutter Mount (Bronze)
GM-1/2-ALM-BL	Aluminum Gutter Mount (Black)