


Low Voltage: Path Lights (Shade)

Aluminum Housing– Integrated LED

RGB + 5-CCT



Detail Specifications:

- Finish: Bronze or Black
- Housing: Aluminum
- LED Integrated
- Power: 5W
- Lumens: 200
- Beam Angle: 360°
- IP Rating: Wet Location IP65
- Lens: Frosted PC

Applications:

- Landscape
- Walkways & Pathways
- Security Lighting
- Hospitality, Multi-Family
- Outdoor Corridors
- General Outdoor Lighting
- Residential, Commercial

Product Information:

- 17 color scene options to choose from with a push button on each individual fixture
- Color switch is located on the top of the stem
 - Remove the cap to select your color
- Water tight silicone ring for waterproofing
- Stem Height: 21"
- Shade Options: various options available
- Stem and shade sold separately
- Packaging: Retail color box
- Master Box Quantity:
 - Stems: 25pcs.
 - Shades: 48pcs.

Driver Options:

- Compatible with Low Voltage Drivers
 - 12-24V AC/DC
- Max load should not exceed more than 80% of the transformer wattage

Mounting & Installations:

- Wire: 6' (72") SPT-1W 20 gauge wire lead
- Spike: 7" Non-metallic spike included
 - Optional brass spike available
- Solid aluminum pipe with 1/2" knuckle stem

Warranty:

- 3 Year Limited Warranty

Models

LED-PL-21-5W-RGB+5CCT-ALM-BZ-LV
Bronze Finish
LED-PL-21-5W-RGB+5CCT-ALM-BL-LV
Black Finish

Bronze Shade Options

PL-H-ALM-BZ-TR
Traditional Style
PL-H-ALM-BZ-FL
Flat Style
PL-H-ALM-BZ-DM
Dome Style
PL-H-ALM-BZ-DC
Decorative Style
PL-H-ALM-BZ-TX
Textured Style
PL-H-ALM-BZ-DT
Double Top Style


Black Shade Options

PL-H-ALM-BL-TR
Traditional Style
PL-H-ALM-BL-FL
Flat Style
PL-H-ALM-BL-DM
Dome Style
PL-H-ALM-BL-DC
Decorative Style
PL-H-ALM-BL-TX
Textured Style
PL-H-ALM-BL-DT
Double Top Style

Optional Accessories on Page 3

Specs and model numbers are subject to change with or without notice. Customization of product is available.

FEATURES




17 SCENE OPTIONS

2700K	
3000K	
3500K	
4000K	
5000K	
WHITE	
RED	
GREEN	
BLUE	
ORANGE	
PURPLE	
CYAN	
RED/GREEN/BLUE	<ul style="list-style-type: none"> • 2 Second Smooth Color Change
RED/GREEN/BLUE	<ul style="list-style-type: none"> • 2 Second Flash Color Change
ALL COLORS	<ul style="list-style-type: none"> • 2 Second Smooth Color Change
ALL COLORS	<ul style="list-style-type: none"> • 2 Second Flash Color Change
ALL COLORS	<ul style="list-style-type: none"> • 2 Second Smooth Color Change + 2 Second Flash Color Change
OFF	



DIMENSIONS



ACCESSORIES



STK-HD-1/2-BR



SM-1/2-BR-ORB



SM-1/2-BR-MBL



SM-1/2-ALM-BZ




SM-1/2-ALM-BL



SM3-1/2-BR-ORB



SM3-1/2-BR-MBL



STKC-1/2-BR-ORB



STKC-1/2-BR-MBL



PL-AT-1/2-ALM-BZ



PL-AT-1/2-ALM-BL

Model	Voltage	Watts	Lumens	Color
LED-BLS-5W-RGB+5CCT-ALM-BZ-LV	12-24V AC/DC	5w	450	27/30/40/50k+RGB
LED-BLS-5W-RGB+5CCT-ALM-BL-LV	12-24V AC/DC	5w	450	27/30/40/50k+RGB

STAKE

Model	Voltage
STK-HD-1/2-BR	Brass Stake 10" Heavy Duty

SURFACE MOUNT

Model	Description
SM-1/2-BR-ORB	Brass Stake 10" Heavy Duty (Oil Rubber Bronze)
SM-1/2-BR-MBL	Brass 1/2" Surface Mount (Matte Black)
SM-1/2-ALM-BZ	Aluminum 1/2" Surface Mount (Bronze)
SM-1/2-ALM-BL	Aluminum 1/2" Surface Mount (Black)

TREE MOUNT

Model	Description
SM3-1/2-BR-ORB	Brass Stake 10" Heavy Duty (Oil Rubber Bronze)
SM3-1/2-BR-MBL	Brass 1/2" Surface Mount (Matte Black)

STAKE COVER

Model	Description
STKC-1/2-BR-ORB	Brass Stake Cover(Oil Rubbed Bronze)
STKC-1/2-BR-MBL	Brass Stake Cover(Matte Black)

PATH LIGHT COVER

Model	Description
PL-AT-1/2-ALM-BZ	Path Light Cover (Bronze)
PL-AT-1/2-ALM-BL	Path Light Cover (Black)